

# SHURE®

LEGENDARY  
PERFORMANCE™

## CRAFTED FOR PROFESSIONALS.

PROFESSIONAL HEADPHONES





## SRH240A

### Professional Quality Headphones

#### High Quality Sound and Comfort

Driver size:	40mm
Sensitivity (1kHz):	107 dB/mW
Impedance (1kHz):	38 $\Omega$
Max. input power (1kHz):	500 mW
Frequency range:	20 Hz – 20 kHz
Type of cable:	2m Attached straight oxygen-free copper



## SRH440

### Professional Studio Headphones

#### Accurate Monitoring for Recording and Playback

Driver size:	40mm
Sensitivity (1kHz):	105 dB/mW
Impedance (1kHz):	44 $\Omega$
Max. input power (1kHz):	500 mW
Frequency range:	10 Hz – 22 kHz
Type of cable:	3m Detachable coiled oxygen-free copper



## SRH840

### Reference Studio Headphones

#### Precision Performance for Critical Listening

Driver size:	40mm
Sensitivity (1kHz):	102 dB/mW
Impedance (1kHz):	44 $\Omega$
Max. input power (1kHz):	1000 mW
Frequency range:	5 Hz – 25 kHz
Type of cable:	3m Detachable coiled oxygen-free copper



## SRH940

### Reference Studio Headphones

#### Masterful Sound for any Studio Application

Driver size:	40mm
Sensitivity (1kHz):	100 dB/mW
Impedance (1kHz):	42 $\Omega$
Max. input power (1kHz):	1000 mW
Frequency range:	5 Hz – 30 kHz
Type of cable:	3m Detachable coiled oxygen-free copper

**SHURE**<sup>®</sup>

LEGENDARY  
PERFORMANCE™

**OPTIMIZED FOR  
DJ MIXING AND MONITORING.**  
PROFESSIONAL DJ HEADPHONES



## SRH550DJ

### Professional Quality DJ Headphones

#### Extended Bass with Versatile Design

Driver size:	50mm
Sensitivity (1kHz):	109 dB/mW
Impedance (1kHz):	32 $\Omega$
Max. input power (1kHz):	3000 mW
Frequency range:	5 Hz – 22kHz
Type of cable:	2m Attached straight oxygen-free copper



## SRH750DJ

### Professional DJ Headphones

#### Sound, Style and Flexibility

Driver size:	50mm
Sensitivity (1kHz):	106 dB/mW
Impedance (1kHz):	32 $\Omega$
Max. input power (1kHz):	3000 mW
Frequency range:	5 Hz – 30kHz
Type of cable:	3m Detachable coiled oxygen-free copper